




STORMSTRONG

REPLACEMENT & NEW CONSTRUCTION

Impact Resistant • Horizontal Sliding Windows

Storm Strong 6200 Series Horizontal Slider



6200 Series New Construction and Replacement

Specifications:

- Dual-action, automatic, self-locking sash locks


Available Frame Types:

- 1-1/2" pre-punched Nail Fin
- 5/8" serrated, double walled Front Flange
- Fin/Flange combo
- Box Frame (no Fin/Flange)


Standard Features and Benefits:

- Meets or exceeds all Energy Star® standards
- Tilt Sash for easy cleaning
- Available with Low-E glass (270, 340, 366)
 - 7/8" insulated glass with argon gas standard for ultraviolet and thermal protection
 - Double-strength glass standard
- Energy efficient non-metallic spacer system
 - Excellent thermal performance and energy efficiency
 - Keeps windows clearer longer limiting condensation
- Adjustable, twin tandem, brass alloy needle bearing rollers
- Durability and resistance from the elements
 - Fusion-welded construction without fasteners for structural stability
 - Heavy-duty weather-stripping at all points, where vinyl meets vinyl, protects against the elements
- BetterVue® half screen standard
 - Roll form or extended screen available
 - 10% better insect protection—20% better airflow—10% clearer view
 - BetterVue® screen will not rust, corrode or stain
- 6550 Series Picture Window to complement the 6200 HS
- Maximum sizes: 2-lite 74" x 72" and 3-lite 111" x 63"

Configurations:



Frame Colors:



Grid Options:

Classic Applied (exterior only) Between-the-Glass



Double Applied also available (interior and exterior for depth)



6200 Series Automatic Self-Locking Sash Locks



1900 SW 44TH AVENUE
OCALA, FL 34474
1.800.327.3086 • www.CWS.cc

All trademarks where denoted are marks of their respective owners. Registered Custom Window Systems, Inc. All rights reserved.





STORMSTRONG
REPLACEMENT & NEW CONSTRUCTION

IMPACT RESISTANT

6200 SERIES HORIZONTAL SLIDER



Custom[®]
WINDOW SYSTEMS 

1.800.327.3086 • www.CWS.cc